



## NEW FLOOR BMW SHOWROOM INNSBRUCK

### PROBLEM

BMW introduces a new flooring system (click system) of ArsRatio in the showrooms of their distributors. For this purpose the existing flooring should be broken out. Then, the sub-floor is leveled again. A short implementation period is an absolute necessity.

### SOLUTION

ArsRatio specifies **CEMDURE 200** as sublayer for their tile system. The existing subfloor is stripped of all the adhesive residue from the previous flooring and cleaned. In order to close the pores and to ensure a good adhesion to the existing subfloor is pre-treated with **CEMPRIME AC**. Subsequently  $\pm 4$  mm **CEMDURE 200** is applied over the entire surface (800 sqm). This is done with a "Duo-Mix 2000" pump. The morning after, one can already start with the placement of the new floor tiles.

### USED PRODUCTS

[CEMPRIME AC](#): Universal primer for cementitious screeds.

[CEMDURE 200](#): Fast curing self-levelling screed



### PROJECT DETAILS

LOCATION	Innsbruck—Austria
DATE OF EXECUTION	January 2016
ENGINEERING	BMW AG / ArsRatio GmbH
CONTRACTOR	Diekmann & Klein

More info?  
[www.cemart.eu](http://www.cemart.eu)